

A close-up photograph of a feather with a large, vibrant red bloodstain on a white surface. The feather is positioned diagonally from the top left towards the bottom right. The bloodstain is irregular and splattered, with several smaller droplets scattered around it. The background is a plain, light-colored surface.

Products



www.lakkavalmiste.fi

LAKKAVALMISTE OY

SOLVENT BASED LACQUERS

Ekaplast LE-lacquer

Acid cured, two component lacquer for wooden surfaces indoors.
For example furniture, joinery etc.
Does not contain aromatic solvents.
For industrial use.
Grades of gloss: gloss, semimatt

NC Speed-lacquer

One component lacquer for wooden surfaces indoors.
For example furniture, joinery etc.
For industrial use.
Grades of gloss: gloss, semigloss, semimatt.

NC Lite-lacquer

One component lacquer for wooden surfaces indoors.
For example furniture, joinery etc.
Does not contain aromatic solvents.
For industrial use.
Grade of gloss: semimatt

1K Ekaplast-lacquer

One component catalytic lacquer for wooden surfaces indoors.
For example furniture, joinery etc.
For industrial use.
Grade of gloss: semigloss

Ekaplast-catalytic lacquer

Acid cured, two component lacquer for wooden surfaces indoors.
For example furniture, joinery etc.
For industrial use.
Grades of gloss: gloss, semimatt

Speed Sealer-lacquer

One component lacquer for priming of wooden surfaces.
Can be used with NC Speed, Ekaplast LE, NC Lite, 1K Ekaplast and Ekaplast-lacquers.

Final-urethanealkyd lacquer

One component, white spirit-based lacquer for wooden surfaces both indoors and out. An excellent choice for wooden floors.
Grades of gloss: gloss, semigloss, semimatt.

NK-metalvarnish

One component, fast-drying metalvarnish.
Grades of gloss: gloss, semimatt.

CAB-lacquer for wobblers and baits

One component special lacquer made exclusively for wooden and plastic wobblers and baits.
One part of a CAB Coating System.
Grades of gloss: gloss, matt.

WATER BASED LACQUERS

Primaplast 526-lacquer

Waterborne lacquer for wooden surfaces.
For industrial use in line working.
Usually applied with spray robots or high pressure sprayers.
Excellent value for money.
Grades of gloss: semigloss

Barokki-lacquer

Waterborne lacquer for wooden surfaces indoors.
An excellent choice for do-it-yourself painters.
Very high quality and easy to use.
Can be applied with brush.
Grades of gloss: gloss, semimatt.

Marie-panel lacquer

Waterborne lacquer for panels indoors.
Gives a very smooth feeling and it is easy to use.
Can be applied with brush.
Grades of gloss: semimatt.

Julie-sauna protection

Waterborne protection for walls and ceilings in sauna.
Grades of gloss: semimatt.

Julie-sauna bench protection

Waterborne protection for benches in sauna.
Grades of gloss: matt.

SOLVENT BASED PAINTS

Ekaplast LE-catalytic paint

Acid cured, two component paint for wooden surfaces indoors.
For example furniture, joinery etc.
Does not contain aromatic solvents.
For industrial use.
Bases: A, B and C
Grades of gloss: semimatt

Poku-urethanealkyd paint

One component, white spirit-based paint for wooden surfaces both indoors and out. An excellent choice for wooden floors.
Bases: A, B and C
Grades of gloss: gloss, semigloss.

NAV-paint

One component nitrocellulose paint for wooden surfaces indoors.
For example carpentry, furniture, joinery etc.
For industrial use.
Bases: A and C.
Grades of gloss: gloss and semimatt.

NV-grinding paint

One component nitrocellulose primer for wooden surfaces indoors.
Can be used with NAV-paint and Ekaplast LE-catalytic paint.
For industrial use.
Bases: A
Grades of gloss: matt.

Ekaplast LE-catalytic primer

Acid cured, two component catalytic-primer for wooden surfaces indoors.
To be used with Ekaplast LE-catalytic paint.
For industrial use.
Bases: A
Grades of gloss: matt.

Dixie Wood Protection

Solvent based transparent wood protection for outdoors.
Bases: V (transparent).

Dixie PS-10 Wood Protection

Solvent based, (white spirit), wood protection for outdoors.
So called "Base-type".

Elmo-oil paint

Solvent based, (white spirit), long-oil alkyd paint based on pineoil alkyds. To be used outdoors for houses and doors etc.
Bases: A, B, C and P (red oxide).
Grades of gloss: semigloss.

Olteri-alkyd primer

Solvent based, (white spirit), alkyd primer for wooden surfaces.
Can be used together with Poku-urethanealkyd paint.
Bases: A.
Grades of gloss: matt.

NK-metalpaint

One component, fast-drying metalpaint.
Bases: C and Black.
Grades of gloss: gloss, semimatt.

WATER BASED PAINTS

LVC 3 Waterbased acrylate latex paint for indoor use.
Bases: A.
Grades of gloss: matt.

LVC 7 Waterbased acrylate latex paint for indoor use.
For finishing layers when matt finish is wanted.
Bases: A and C.
Grades of gloss: matt.

LVC 20 Waterbased acrylate latex paint for indoor use.
For finishing layers when semimatt finish is wanted.
A paint with good washability.
Bases: A, B and C.
Grades of gloss: semimatt.

Rock-special acrylate paint

Waterbased acrylate latex paint for indoor use.
Extremely tough finish for walls in public places.
Contains agents against mould and fungus.
Bases: A.
Grades of gloss: semimatt.

Jazz Wood Protection

Waterbased transparent wood protection for wooden surfaces outdoors.
Contains agents against mould and fungus.
Bases: V.
Grades of gloss: not mentioned.

Mood Opaque Wood Protection

Waterbased opaque wood protection for wooden surfaces outdoors.
Contains agents against mould and fungus.
Bases: A and C.
Grades of gloss: semigloss.

Suvi Opaque Outdoor paint

Waterbased opaque paint for wooden houses.
Contains agents against mould and fungus.
Bases: A, B, C and P.
Grades of gloss: semimatt.

Pispala Opaque Outdoor paint "Cottage Red"

Waterbased opaque paint for wooden houses and buildings. Leaves a matt finish which slowly fades away as years go by. Mainly used for farming households and secondary buildings.
Bases: Oxide red.
Grades of gloss: matt.

Grasshopper-marker

Waterbased marking paint for grass on playing fields.
Does not contain any harmful substances for grass.
Mainly used by communities and sports clubs.
Bases: White and primary colors.
Grades of gloss: not mentioned.

Barokki-paint

Waterborne paint for wooden surfaces indoors.
An excellent choice for do-it-yourself painters.
Very high quality and easy to use.
Can be applied with brush.
Bases: A and C.
Grades of gloss: gloss, semimatt.

WOOD STAINS

Base Color

Solvent based concentrate of pigments.
To be used diluted with solvent or be mixed to solvent based lacquers.
Shall be lacquered when dry.

Tone Color

Solvent based wood stain for furniture industry etc.
Ready-to-use or can be diluted with solvent when lighter shades are required.
Shall be lacquered when dry.

Colorbind

Solvent based wood stain for furniture industry etc.
Ready-to-use or can be diluted with solvent when lighter shades are required.
Shall be lacquered when dry.

VO Color

Water based wood stain for carpentry industry.
Ready-to-use or can be diluted with water when lighter shades are required.
Shall be lacquered when dry.

LV Panel stain

Water based wood stain for do-it-yourself painters.
Can be tinted with common tinting machines.
Clear when delivered.
Shall be lacquered when dry.

HARDENERS

Ekaplast hardener

Solvent based hardener for acid cured paints and lacquers.
Dosage 10% of paint or lacquer to be used.
Pot-life of paint and lacquer appx. 2-3 days.
Never mix in black iron cans. Can cause color variations.